

Application No. 09/346,470  
Amendment dated July 28, 2003  
Response to July 28, 2003 Request of Examiner

In the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-78. Canceled.

1 79. (Previously presented) An isolated nucleic acid molecule comprising a nucleotide sequence which encodes or is complementary to a sequence which encodes an ecdysteroid receptor (EcR) polypeptide that binds ecdysone, wherein the encoded EcR polypeptide consists essentially of the amino acid sequence set forth in SEQ ID NO:10.

2 80. (Previously presented) The isolated nucleic acid molecule of claim 79, wherein said sequence consists essentially of the nucleotide sequence set forth in SEQ ID NO:9.

D1 3 81. (Previously presented) The isolated nucleic acid molecule of claim 79, wherein the isolated nucleic acid molecule further encodes an EcR partner protein (USP polypeptide) of a *Myzus persicae* EcR heterodimer, which USP polypeptide consists essentially of an amino acid sequence as set forth in SEQ ID NO:12.

4 3 82. (Previously presented) the isolated nucleic acid molecule of claim 81, wherein the USP polypeptide is encoded by the nucleic acid sequence set forth in SEQ ID NO:11.

5 2 83. (Previously presented) The isolated nucleic acid molecule of claim 81, wherein the USP polypeptide is identical to that encoded by cDNA present in plasmid pMpUSP (AGAL Accession No. NM99/04568).

Application No. 09/346,470  
Amendment dated July 28, 2003  
Response to July 28, 2003 Request of Examiner

- 6 84. (Previously presented) The isolated nucleic acid molecule of claim 79, wherein said polypeptide consists of an amino acid sequence encoded by a cDNA present in the plasmid deposited under AGAL Accession No. NM99/04567.
- 7 85. (Currently amended) An isolated nucleic acid molecule comprising a nucleotide sequence which encodes or is complementary to a sequence which encodes an ecdysteroid receptor (EcR) polypeptide that binds ecdysone; ecdysone when said EcR polypeptide is in association with a USP polypeptide, wherein said EcR polypeptide consisting consists of an amino acid sequence having at least 60% amino acid sequence identity to the amino acid sequence set forth in SEQ ID NO:10, wherein with the proviso that said encoded EcR polypeptide is not a *Drosophila melanogaster* EcR polypeptide.
- 8 86. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein said EcR polypeptide consists of an amino acid sequence having at least 80% amino acid sequence identity to the amino acid sequence set forth in SEQ ID NO:10.
- D) 9 87. (Previously presented) The isolated nucleic acid molecule of claim 86, wherein said EcR polypeptide consists of an amino acid sequence having at least 90% amino acid sequence identity to the amino acid sequence set forth in SEQ ID NO:10.
- 10 88. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein the EcR polypeptide is derived from a member of the genus *Myzus*.
- 11 89. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein the insect is *Myzus persicae*.
- 12 90. (Previously presented) The isolated nucleic acid molecule of claim 85, wherein the isolated nucleic acid molecule further encodes an EcR partner protein (USP polypeptide) of the *M.*

Application No. 09/346,470  
Amendment dated July 28, 2003  
Response to July 28, 2003 Request of Examiner

*persicae* EcR polypeptide, wherein the USP polypeptide consists essentially of an amino acid sequence set forth in SEQ ID NO:12.

13

91. (Previously presented) A genetic construct comprising the isolated nucleic acid molecule of claim 79, wherein said nucleotide sequence is operably linked to a promoter sequence.

14

92. (Previously presented) The genetic construct of claim 91, wherein said promoter sequence is a MMTV, SV40, polyhedrin or p10 promoter sequence.

15

93. (Previously presented) A cell comprising the genetic construct of claim 91.

16

D1 94. (Previously presented) The cell of claim 93, wherein the cell further comprises a nucleic acid molecule encoding an ecdysteroid receptor partner protein (USP polypeptide) which is expressed in said cell.

17

95. (Previously presented) An isolated nucleic acid molecule comprising a nucleotide sequence which encodes or is complementary to a sequence which encodes a ecdysteroid receptor (EcR) polypeptide, wherein said ecdysteroid receptor polypeptide is not from *Drosophila melanogaster*, wherein said EcR polypeptide binds ecdysone, and wherein said nucleotide sequence is selected from the group consisting of:

- (i) a nucleotide sequence having at least 60% identity to the nucleotide sequence set forth in SEQ ID NO:9, or a complementary nucleotide sequence thereto;
- (ii) a nucleotide sequence that hybridises under at high stringency conditions to the nucleotide sequence set forth in SEQ ID NO:9 or to a complementary nucleotide sequence thereto, wherein high stringency conditions are a hybridisation and/or a wash carried out in 0.1xSSC-0.2xSSC buffer, 0.1% (w/v) SDS at a temperature of at least 55°C;

Application No. 09/346,470  
Amendment dated July 28, 2003  
Response to July 28, 2003 Request of Examiner

- D1
- (iii) a nucleotide sequence having at least 60% identity to a nucleotide sequence of a cDNA present in the plasmid deposited under AGAL Accession No. NM99/04567; and
  - (iv) a nucleotide sequence that is capable of hybridising under high stringency conditions to a cDNA present in the plasmid deposited under AGAL Accession No. NM99/04567, wherein high stringency conditions are a hybridisation and/or a wash carried out in 0.1xSSC-0.2xSSC buffer, 0.1% (w/v) SDS at a temperature of at least 55°C.